

**From Factory Direct To You**

**SKYVIEW**  
Windows & Doors

112A Snidercroft Road | Concord, ON L4K 2K1  
Tel: 905-761-9988 | Fax: 905-761-8801  
[www.skyreachgroupinc.com](http://www.skyreachgroupinc.com)

# SKYREACH GROUP FACILITIES

In North America



Extrusion Factory



IG Factory



Windows and Doors Factory



Skyreach group inc. Los Angeles. Since 2012



Skyreach, Chicago, Since 2013



Skyreach group inc. Rancho Cucamonga, CA. Since 2013



Skyreach group inc. NY. Since 2014



Skyreach group inc. Toronto. Since 2011



Ultraseal Glass Corp. Toronto. Since 2019

# About Us

Skyview Windows & Doors is a subsidiary of Skyreach Group Incorporated. Skyreach Group Incorporated was reinvented from its precursor formed in 2004 as a manufacturer of Patio Doors and Window Profile Extruder. Located in Concord ON, Skyreach Group is dedicated to serving patio door and window customers in the GTA, Canada & USA residential and commercial market. We live by our simple and effective core value system, as we strive for continuous improvement in every area of our business.



## CUSTOMER FOCUS

We value all of our customers and appreciate the importance of being customer focussed.



## CREATIVE

Our product design is created with ease of installation in mind so time can be optimized as well as overall comfort and affordability for the end user.



## CERTIFIED QUALITY

Our patio doors are tested and certified by reputable building research authorities in Canada and US. Our suppliers are also carefully chosen and so we are able to have the utmost confidence in our patio door product offering.



## Our Mission

To become a trusted supplier of patio doors by being consistent in our product quality, and creative in design and delivery.

## Our Vision

To comply with tomorrow's market by offering our customers more today, better certifications and a better product design.

## Our Corporate Focus

- Fostering long lasting partnerships
- Overall transparency, ethics and integrity
- Continuous creativity and product innovation
- Unique perspective in selecting supplier expertise
- Sharing ideas and valuing our employees

112A Snidercroft Road | Concord, ON L4K 2K1  
Tel: 905-761-9988 | Fax: 905-761-8801


[www.skyreachgroupinc.com](http://www.skyreachgroupinc.com)

**SKYVIEW**  
Windows & Doors



## CLASSIC 1000 SERIES Window System

The CLASSIC 1000 Series window system is designed with architectural lines that complement the structure of any home. Its aesthetics, performance (air and water tightness), and durability, offers the homeowner security, comfort, and peace of mind. Available in a wide selection of configurations, the CLASSIC 1000 Series abides by rules of simplicity and creativity, making this “conventional Bohemian”, an excellent replacement and renovation option.



### CONFIGURATIONS

- Low Fixed
- High Fixed
- Casement
- Awning
- Single Hung
- Double Hung
- Single Slider
- Double Slider
- Single Slider Lift Out
- Special Shapes:**
- Arch/Round Top
- Round Window
- Quarter Arch Window
- Trapezoid Window
- Half-round Window
- Octagon Window
- Bay Window
- Bow Window

# S Window System

## FEATURES and BENEFITS

- Wide selection of configurations: Single/Double Hung, Single/Double Slider, Tilt feature, Fixed/Picture Window, Casement, Awning, Bay Window, Bow Window, and Special-shape window.
- 3-1/4" frame depth – ideal for renovation/replacement market.
- Designed to accommodate 7/8" IG unit.
- Interior glazing.
- Full perimeter triple weather seals for comfort and protection.
- Co-extruded bulb seal with option of insert pocket for easy service.
- Optional pre-installed AAMA certified weather-strip and bulb seal.
- Snap-in interlock and pull rail for easy fabrication and component reduction.
- Complete accessories: jamb extensions (different sizes), casing, brick mould, nailing flange, dry wall return, and various joiners.
- Available in selected solid colors including white, beige, and clay.
- All window models are fully tested under AAMA, WDMA, and CSA standards.
- Well complemented by the Classic 1600 Series and Hopper 4800 Series for complete window configurations, including Egress Hopper window.
- Made with 100% Virgin PVC powder compound – formulated to surpass AAMA requirements.



## ACCESSORIES



Choose from a selection of accessories!

## PRODUCT PERFORMANCE AS PER NAFS-08

<b>Low Fixed</b>	Class CW - PG70	Type FW (Fixed)
<b>High Fixed</b>	Class CW - PG70	Type FW (Fixed)
<b>Casement</b>	Class R - PG75	Type C (A3)
<b>Awning</b>	Class LC - PG70	Type AP (A3)
<b>Single Hung</b>	Class R - PG40	Type H (A3)
<b>Double Hung</b>	Class R - PG50	Type H (A3)
<b>Single Slider</b>	Class R - PG25	Type HS (A2)
<b>Double Slider</b>	Class R - PG25	Type HS (A2)
<b>Single Slider Lift Out</b>	Class R - PG40	Type HS (A2)


## CERTIFICATIONS AND MEMBERSHIPS



## COLONIAL 1600 SERIES Window System



The COLONIAL 1600 Series window system is created for renovations and replacement applications that demand the architectural style of wood windows. The Colonial exterior contour design of the frame gives the system a traditional look and feel of an artisan wood window. However, the inert vinyl material provides durability, longevity and virtually maintenance-free attributes. It is a perfect fenestration solution to dress up the front and back views of your home.



### CONFIGURATIONS

- Low Fixed
- Casement
- High Fixed
- Awning

- Special Shapes:**
- Arch/Round Top
  - Quarter Arch Window
  - Half-round Window
  - Bay Window
  - Round Window
  - Trapezoid Window
  - Octagon Window
  - Bow Window

# Window System

## FEATURES and BENEFITS

- 3-1/4" frame depth - ideal for renovation/replacement applications.
- Exterior contoured frame – architectural style of wood windows.
- 0.075" exterior wall thickness - outstanding strength, rigidity and thermal insulation.
- Designed to accommodate IG units from 7/8" to 1-3/8" thickness – suitable for double-, triple- and quadruple-pane IG units.
- Interior glazing.
- Frame and Sash profiles with multiple internal chambers - exceptional structural, thermal insulation and sound-reduction characteristics.
- Smart internal wall designs for better water drainage – protection against water leak.
- Triple weather seals, including double bulb seals to provide remarkable air- and water-tightness – excellent DP values.
- Designed for a variety of hardware options to provide flexibility to fabricators.
- All hardware screws are mounted through multiple profile walls - additional security and durability.
- Complete accessories and common parts available: brick mould, jamb extension, interior and exterior frame moulding, nailing fin, dry wall return, and many more.
- Available in Picture/Fixed Window, Casement, Awning, Bay Window, Bow Window and Special-Shape Window.
- Well complemented by the Classic 1000 Series and Hopper 4800 Series for complete window configurations, including Hung, Slider and Egress-Hopper Windows.
- Made with 100% Virgin PVC powder compound – formulated to surpass AAMA requirements.
- Available in solid white, beige, and clay.



## ACCESSORIES



## PRODUCT PERFORMANCE AS PER NAFS-08

<b>Low Fixed</b>	Class LC - PG70	Type FW (Fixed)
<b>High Fixed</b>	Class LC - PG70	Type FW (Fixed)
<b>Casement</b>	Class LC - PG70	Type C (A3)
<b>Awning</b>	Class LC - PG75	Type AP (A3)

## CERTIFICATIONS AND MEMBERSHIPS





## CRAFTSMAN 1200 SERIES Window System

The CRAFTMASTER 1200 Series window system was designed while keeping both the new home construction and renovation markets in mind. The system was engineered to achieve excellent thermal and operational performance while maintaining the highest level of efficient use of materials and hardware. Versatility in models and dimension make this window system the homebuilder's dream.



### CONFIGURATIONS

- Low Fixed
- High Fixed
- Casement
- Awning

- Single Hung
- Single Slider

- Single Lift-out Slider
- Tilt Feature

#### Special Shapes:

- Arch/Round Top
- Round Window
- Quarter Arch Window
- Trapezoid Window
- Half-round Window
- Octagon Window
- Bay Window
- Bow Window

# S Window System

## FEATURES and BENEFITS

4-1/4" Frame depth with wood return channel design, intended for new construction application and replacement projects.

- Common sash components with the Skyreach Classic 1000 Series window system.
- Multi-point sash locks and snubbers provide extra security, tighter seal, and greater comfort.
- Designed to accommodate 7/8" IG unit.
- Interior glazing.
- Multi-chambered profile design for better R-value.
- Co-extruded bulb seal with option of insert pocket for easy fabrication and servicing.
- Full perimeter triple weather seals for air tightness and reduction of dust infiltration.
- Compression-seal technology protects against air, water, and noise infiltration.
- Accessory grooves offer flexibility for installation of many Skyreach supplementary profiles.
- Complete accessories and common parts available.
- Available in: Casement, Awning, Picture Frame/Fixed window, Single Hung, Single Slider, Single Lift-out Slider, Tilt Feature, Bay window, Bow window and Special-shape window.
- Made with 100% Virgin PVC powder compound – formulated to surpass AAMA requirements.
- Available in solid white, beige, and clay.



◀ INTERIOR VIEW



◀ EXTERIOR VIEW

## ACCESSORIES



Choose from a selection of accessories!

## PRODUCT PERFORMANCE AS PER NAFS-08

<b>Low Fixed</b>	Class R - PG75	Type FW (Fixed)
<b>High Fixed</b>	Class R - PG75	Type FW (Fixed)
<b>Casement</b>	Class R - PG75	Type C (A3)
<b>Awning</b>	Class R - PG70	Type AP (A3)

## CERTIFICATIONS AND MEMBERSHIPS





## HOPPER/AWNING 4800 SERIES Window System

The HOPPER/AWNING 4800 Series window system is designed, though not limited to, basement applications. This window system meets the ever-increasing demand for basement window egress requirements. The 4800 Series window system is available for both new construction and replacement/renovation applications. Its flexible design allows for different configurations, including: transom, casement, and high-end awning windows.



# S Window System

## FEATURES and BENEFITS

- Hinged at top or bottom with traditional hopper hinges, or more opening options using friction hinges.
- Designed to eliminate centre hinge bar (awning) to meet egress requirements.
- Array of hinge mounting options.
- 3-1/4" frame depth.
- Integral nailing fin.
- Multi-chambered profile design for better R-value.
- Interior glazing.
- Designed to accommodate dual and triple IG unit from 7/8" to 1-3/8".
- Triple seal compression system for superior air and water tightness.
- High quality and durable gaskets that are engineered to retain their flexibility, and are easy to replace in the event of accidental damage.
- Suitable for basement applications and other regular window applications.
- Complemented by a full range of external and internal accessories.
- Made with 100% Virgin PVC powder compound – formulated to surpass AAMA requirements.



## ACCESSORIES



Choose from a selection of accessories!

## CERTIFICATIONS AND MEMBERSHIPS






## PORTICO SERIES (PD02) Patio Door System

The PORTICO Series patio door is a classic patio door with traditional right-hand (OX) and left-hand (XO) configuration. With minor adjustment during installation, this system is reversible as a right-hand and left-hand configuration. Perfect for remodelling and new home projects, the PORTICO is also available in double-operating panels (XX) patio door system—the perfect solution for a panoramic view, unimpeded ventilation, and easy access to any terrace, patio or garden oasis.



### CONFIGURATIONS



# PORTICO SERIES (PD02) Patio Door System

## FEATURES and BENEFITS

- All vinyl, multi-chamber profile design for superior insulating properties for your comfort and energy savings.
- Mechanically-joined frame with accessory groove in standard 5-5/8" frame depth.
- Mechanically fastened aluminum reinforced door panels for rigidity and strength.
- Standard sizes available: 5', 6' or 8' width by 6'8" and 8' height.
- AAMA certified zinc-plated, double tandem steel rollers for durability and smooth, effortless sliding.
- Corrosion-resistant, anodized-aluminum tracks for ongoing, smooth gliding operation.
- Full perimeter triple layer weather stripping for excellent air and water tightness.
- Standard "Landmark" handle (with lock and key upgrade) and available upgrade to "Prestige" series handles.
- Heavy-duty screen with heavy-gauge extruded aluminum frame and fiberglass mesh for solid frame and smooth operation.
- Specially formulated, color-matched sealing material for durability in performance and color retention.

## UPGRADES



- Mini Blinds with Tilt and Lift System available in 5' and 6' door.
- Grille Styles available in Prairie and 3x5.
- Flat Bar Grille 5/8" narrow width; also available in 13/16" wide width.
- Kick Lock
- Multi-point Lock

## OPTIONS

EXTRUDED COLORS: White, blue-white, beige and clay.  
Please talk to your dealer to learn more about available painted colors.

AVAILABLE COMPONENTS AND HARDWARE:  
Screen, rollers, handles and locks.

### PRODUCT PERFORMANCE

Description	Size	Air	Water	Structural	Class	PG	Reinforcement
PD02-OX (without sill dam)	6068	A3	DP35 B3	DP40	C3	R	Aluminum
PD02-OX (with sill dam)	8068	A3	DP45 B3	DP40	C3	LC	14 Ga. Steel
PD02-OX (with sill dam)	8080	A3	DP40 B3	DP40	C3	LC	18 Ga. + 10 Ga. Steel

### LoE 180 ENERGY PERFORMANCE RATINGS

Model Code	U-factor Btu/h-ft. <sup>2</sup> •F	SHGC Heat Gain Coefficient	Layers of Glazing	Infiltration Air Leakage L/s*m <sup>2</sup>	Exfiltration N Air Leakage L/s*m <sup>2</sup>	VT - Visible Transmittance	Energy Rating
PD02-AL-LOE180-7/8	0.32	0.53	2	0.9	0.9	0.61	29
PD02-AL-LOE272-7/8	0.31	0.32	2	0.9	0.9	0.56	18
PD02-AL-LOE366-7/8	0.31	0.21	2	0.9	0.9	0.50	12
PD02-STEEL-LOE366-7/8	0.30	0.21	2	0.9	0.9	0.50	13
PD02-LOE180/189-78	0.28	0.49	2	0.9	0.9	0.60	32
PD02-AL-LOE272/189-7/8	0.27	0.32	2	0.9	0.9	0.54	23
PD02-AL-LOE366/189-7/8	0.27	0.21	2	0.9	0.9	0.49	17

## FORMAT and PACKAGING

The PORTICO system is available in KD form which is precut and includes prepunched metal reinforcement and optional hardware. It is also available in KF format, which is similar to KD, but includes pre-glazed sashes from the factory and packaged accordingly. In FA format, the patio doors have been fully assembled in the factory.

## ACCESSORY PROFILES



## CERTIFICATIONS AND MEMBERSHIPS






## BOULEVARD SERIES (PD04) Patio Door System

The BOULEVARD Series patio door is a high-end, welded wide sash system available in traditional right-hand (OX) and left-hand (XO) configuration. Combining the aesthetic elements of a French door with the durability and longevity one has come to expect from a door constructed with high quality PVC, the Boulevard is perfect for new home construction or renovation projects.

5-5/8" Jamb  
with deep  
pockets




### CONFIGURATIONS


XX 2 PANEL



OXO 3 PANEL



OXXO 4 PANEL



# BOULEVARD SERIES (PD04) Patio Door System

## FEATURES and BENEFITS

- All vinyl, multi-chamber profile design for superior insulating
- 4-1/2" Wide stiles and rails sash.
- Welded sashes with glazing beads.
- Metal reinforcement on the vertical sash.
- Available in multi-panel configurations.
- Inside- and outside-jamb pocket covers for an elegant look.
- Standard Valiant handles with multipoint locking system.

## OTHER BENEFITS

- All vinyl frame.
- Full perimeter triple layer weatherstripping for excellent air and water tightness.
- Specially formulated, color-matched sealing material for durability in performance and color retention.
- Corrosion resistant anodized-aluminum tracks for long-lasting and smooth operation.
- Variety of aesthetically-pleasing multi-panel system combinations, custom sizes and custom finishes.

## UPGRADES



- Mini Blinds with Tilt and Lift System available in 5' and 6' door.
- Grille Styles available in Prairie and 3x5.
- Flat Bar Grille 5/8" narrow width; also available in 13/16" wide width.
- Kick Lock
- Multi-point Lock

## OPTIONS

Please talk to your dealer to learn more about available painted colors.

AVAILABLE COMPONENTS AND HARDWARE:  
Screen, rollers, handles and locks.

PRODUCT PERFORMANCE									
Description	Size	Air	Water		Structural		Class	PG	Reinforcement
PD04-OX	6068	A3	DP30	B2	DP30	C2	R	30	Aluminum
PD04-OX	8080	A3	DP30	B2	DP30	C2	R	30	14 Ga. Steel
PD04-OX IMPACT	8080	A3	DP50	B4	DP30	C3	LC	50	18 Ga. Steel + Corner Bracket
LoE 180 ENERGY PERFORMANCE RATINGS (1" IGU)									
Model Code	U-factor Btu/h-ft. <sup>2</sup> •F	SHGC Heat Gain Coefficient	Layers of Glazing	Infiltration Air Leakage L/s*m2	Exfiltration N Air Leakage L/s*m2	VT - Visible Transmittance	Energy Rating		
PD04-AL-LOE180-1	0.32	0.46	2	0.3	0.3	0.53	26		
PD04-STEEL-LOE180-1	0.30	0.46	2	0.3	0.3	0.53	28		
PD04-AL-LOE366-1	0.31	0.19	2	0.3	0.3	0.43	12		
PD04-STEEL-LOE366-1	0.29	0.19	2	0.3	0.3	0.43	14		

## FORMAT and PACKAGING

The BOULEVARD system is available in KF format, which includes pre-glazed sashes from the factory and packaged accordingly. In FA format, the patio doors have been fully assembled in the factory.

## ACCESSORY PROFILES



## CERTIFICATIONS AND MEMBERSHIPS







## HARMONY SERIES (PD05)

### Welded Sash Patio Door System

The HARMONY Series patio door is a sleek, modern door which comes with your choice of fully welded or mechanically-fastened frame system. Set your expectations with Harmony, either single or double slider functions to benefit from clever design and ease of installation.



#### CONFIGURATIONS





## PD06 GENESIS Series

### All Vinyl Patio Door



Genesis Single Slider (OX/XO) patio door is a classic patio door with traditional right-hand (OX) and left-hand (XO) configuration. The reinforced sash and cleverly-engineered stationary panel make this door a great choice for high-traffic areas.



Single Slider (OX/XO)

CONFIGURATIONS




SINGLE SLIDER (OX) shown  
(also available in XO)

# SKYVIEW

Windows & Doors



# Wrought Iron



Calibex  
Page 1



Excalibur  
Page 2



Gotico  
Page 3



Julietta  
Page 4



Martina  
Page 5



Medieval  
Page 6



Miliano  
Page 7



Millenia  
Page 8



Modexa  
Page 9




Palazzo  
Page 10



Royalton  
Page 11



Serafina  
Page 12



Serenne  
Page 13



Aberdeen  
Page 14



Champlain  
Page 15



Claire  
Page 16



Erie  
Page 17



Huron  
Page 18



Mackay  
Page 19



Melville  
Page 20



Mistassini  
Page 21



Nettilling  
Page 22



Nipigon  
Page 23



Wollaston  
Page 24



**Your  
trusted Partner For  
Windows & Doors**

**SKYVIEW**

**Windows & Doors**

112A Snidercroft Road | Concord, ON L4K 2K1

Tel: 905-761-9988

Fax: 905-761-8801

[www.skyreachgroupinc.com](http://www.skyreachgroupinc.com)

[info@skyreachgroupinc.com](mailto:info@skyreachgroupinc.com)